



Théta PEST
1097 Budapest, Vaskapu u. 17.
thetapest@gmail.com
www.thetapest.hu

Surgical Information and Prices

.....
for

THÉTA Pest

1097 Budapest, Vaskapu u. 17.

Contact:

Orsolya Hegyi

Phone: +36 70 907 1234

+36 20 402 4224

E-mail: theta.mutet@gmail.com



Hemorrhoid Treatment with Microwave/Laser Device

Description of the Condition: Hemorrhoids are swollen blood vessels located in the lower part of the rectum or around the anus. The primary symptoms include bleeding, pain, protrusion, and itching. Factors predisposing to the development of hemorrhoids include heredity, pregnancy, childbirth, obesity, sedentary lifestyle, prolonged sitting, and improper or unhealthy diet.

Forms of Presentation: Hemorrhoids can be classified into four stages based on their severity:

- **Stage I:** No protrusion.
- **Stage II:** Protrudes during bowel movements but retracts spontaneously afterward.
- **Stage III:** Protrudes during bowel movements and requires manual repositioning.
- **Stage IV:** Always protruded and cannot be manually repositioned.

In the early Stage I, conservative methods such as dietary changes, medications, and the use of topical treatments can alleviate symptoms and provide relief.

When is Intervention Necessary? In more advanced conditions (Stage III-IV) and in the most severe cases, surgical solutions using traditional or laser/microwave treatments may be necessary to provide relief.

Preconditions for Surgery:

- The patient's complete mental and physical well-being
- Negative laboratory results not older than 2 weeks
- EKG results not older than 2 weeks
- A lung screening or chest X-ray result within one year
- Payment of the organizing fee

It is essential to ensure that the patient **has no known drug allergies—especially to local anesthetics—before the procedure!**

It's important to inform **us if you have any blood clotting disorders**, but you do not need to stop taking your medication—including anticoagulants—because of the procedure.

Surgery cannot be performed if:

Preoperative examination reveals abnormal laboratory values that could interfere with the procedure. After these have been addressed, surgery may proceed.



Théta PEST

1097 Budapest, Vaskapu u. 17.

thetapest@gmail.com

www.thetapest.hu

Preoperative Preparations:

- The day before the surgery, after a light lunch, only liquids (such as soup, fruit juice, tea, etc.) may be consumed, and smoking is allowed only until midnight..
- **FROM MIDNIGHT, EATING, DRINKING, SMOKING, AND EVEN CHEWING GUM ARE PROHIBITED! If this is not followed, the surgery cannot be performed!**
- Information about taking regularly prescribed medications before the surgery will be provided during the consultation with the operating doctor.
- If necessary, ensure that the surgical area(s) are shaved.
- Follow the checklist provided at the end of this information.
- After receiving oral information, the patient signs the surgical consent form.



Théta PEST
1097 Budapest, Vaskapu u. 17.
thetapest@gmail.com
www.thetapest.hu

V23 Clinic

1125 Budapest, Virányos út 23/D.

2024 Prices

Operating Surgeon: Dr. István Rozsos

Phone.: +36 70 907 1234

Procedure: EVLT / EMWA

The surgery price always includes:

- Full microwave /laser haemorrhoid surgery
- Anesthesia
- Observation, which lasts 4 hours
- The first post-surgery check-up at the agreed time

Full price for surgery: 720.000,- Ft // 1.800, -EUR*

* Prices in euros are definitive! The amounts specified in HUF are indicative, depending on the current euro/HUF exchange rate.

A scheduling fee of 100,000 HUF is required to secure the appointment, which will be deducted from the surgery cost.

If the surgery is canceled due to the patient's fault, the scheduling fee is non-refundable.

Payment Methods: (for the remaining amount)

- **Advance bank transfer**, latest by the morning of the business day before the procedure (bring or email the transfer receipt to theta.mutet@gmail.com).
- **Cash** on the day of the procedure at the location.
- **Credit card** on the day of the procedure at the location.



Procedure for Surgical Treatment


Laser and Microwave Hemorrhoid Treatment

The laser and microwave hemorrhoid treatment is performed in the surgical department of the Clinic/Health Center. The procedure is carried out by Dr. István Rozsos, a vascular surgeon.

During the procedure, an anesthesiologist (specialist in anesthesia) and an assistant will also be present. The assistant supports the doctor with preparations and performs assisting tasks. The procedure can be performed under local anesthesia, but sedation is recommended.

During the surgery, after marking the hemorrhoids, the nodules are coagulated using a lancet, followed by the application of gauze. Including preparations and post-procedure work, you should expect to spend at least 15-30 minutes in the treatment room.

After the surgery, you will be moved to the recovery area, where you may drink fluids after 1 hour, stand up after 2 hours, and leave the facility on your own after 4 hours. You will not be allowed to drive on the day of the surgery; therefore, you may only leave with an escort.



Postoperative Care, Medications, Lifestyle at Home, and Medical Follow-Up:

- **Drinking and Eating:** One hour after the surgery, you may drink, and if you feel well, you can leave the facility four hours later. Light meals are permitted at that time.
- **Tampon Removal:** A longer gauze tampon is placed during the surgery. If possible, remove it the day after surgery during your first bowel movement.
- **Dietary Recommendations:** Post-surgery, avoid both constipation and diarrhea. To achieve this, it is recommended to consume dietary bran with meals and ensure adequate fluid intake.
- **Pain Management:** For pain, feel free to use painkillers you have previously used, such as Cataflam, Advil, Panadol, Algopyrin, etc.
- **Suppository Use:** Use the prescribed suppository twice daily (morning and evening) after cleaning the surgical area, as long as the area remains painful—typically for about one week.
- **Detralex:** Start taking Detralex in increased doses from the day after surgery. Take six tablets daily for the first four days, and four tablets daily from days 5 to 7.



Théta PEST

1097 Budapest, Vaskapu u. 17.

thetapest@gmail.com

www.thetapest.hu

- **Disinfection:** Due to swelling and local inflammation at the surgical site, disinfect the area with **Hyiodine** after cleaning for at least one week.
- **Lifestyle:** Adopt a gentle lifestyle during the postoperative period, avoiding heavy physical exertion, especially lifting heavy weights. Patients can take care of themselves, remain mobile, and perform intellectual work.
- **Follow-Up:** The necessity of additional medications and the timing of follow-up appointments will be determined by the doctor. The patient is responsible for attending scheduled follow-ups and complying with medical instructions to avoid potential health deterioration. Generally, follow-up examinations are required two weeks after the surgery, six months later, and then annually.

Consequences of the Procedure:

- **Pain:** Tension pain immediately after surgery is natural, and pain management begins promptly.
- **Swelling:** The surgical site may swell, which is a normal part of the healing process.
- **Bleeding:** Mild bleeding after bowel movements may occur for 1-2 weeks post-surgery.

Symptoms Requiring Immediate Medical Attention:

Postoperative fever, sudden swelling of the limb, throbbing pain, or discharge from the wound should be immediately reported to the operating doctor.



Théta PEST
1097 Budapest, Vaskapu u. 17.
thetapest@gmail.com
www.thetapest.hu

Checklist:

1. Laboratory results not older than 2 weeks.
2. EKG results not older than 2 weeks.
3. Lung screening or chest X-ray result within one year.
4. Price quote.
5. **From midnight before anesthesia, no eating, drinking, smoking, or chewing gum!**
6. Bring comfortable clothing and slippers.
7. **Take your blood pressure and heart medications on the morning of the procedure, as well as any other regularly taken medications as discussed beforehand.**
8. Shave the surgical areas if necessary.
9. Transfer the organizing fee.

Thank you for your trust!

Dr. István Rozsos

Vascular surgeon

For further questions not covered here, please feel free to contact us:

www.thetapest.hu

E-mail: theta.mutet@gmail.com

Contact:

Orsolya Hegyi

+36 70 907 1234

+36 20 402 4224